

PHST palliative recruitment – shortlist score data (2013-2024)


This document contains shortlist score data for PHST palliative recruitment. Graphs depicting the distribution of shortlisting scores are presented for both rounds 1 & 2.



PHST palliative medicine recruitment – shortlist score distribution 2024 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to all palliative medicine applications submitted in 2024 PHST recruitment round 1. The number of applications submitted was **93**; shortlist scores ranged from **0** – **65** (min and max possible were 0-70).

Mean and median averages achieved were 45 (45.0) and 49 respectively.






PHST palliative medicine recruitment – shortlist score distribution 2023 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to all palliative medicine applications submitted in 2023 PHST recruitment round 2. The number of applications submitted was **18**; shortlist scores ranged from **16** – **60** (min and max possible were 0-70).

Mean and median averages achieved were 39 (38.6) and 49 respectively.






PHST palliative medicine recruitment – shortlist score distribution 2023 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to all palliative medicine applications submitted in 2023 PHST recruitment round 1. The number of applications submitted was **65**; shortlist scores ranged from **11** – **60** (min and max possible were 0-70).

Mean and median averages achieved were 44 (44.3) and 49 respectively.






PHST palliative medicine recruitment – shortlist score distribution 2022 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to all palliative medicine applications submitted in 2022 PHST recruitment round 2. The number of applications submitted was **10**; shortlist scores ranged from **0 – 65** (min and max possible were 0-78).

Mean and median averages achieved were 37 (36.8) and 40 respectively.






PHST palliative medicine recruitment – shortlist score distribution 2022 (round 1)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to all palliative medicine applications submitted in 2022 PHST recruitment round 1. The number of applications submitted was **41**; shortlist scores ranged from **13** – **61** (min and max possible were 0-78).

Mean and median averages achieved were 41 (41.46) and 44 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2021 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to all palliative medicine applications submitted in 2021 ST3 recruitment round 2. The number of applications submitted was **24**; shortlist scores ranged from **12 – 39** (min and max possible were 0-56).

Mean and median averages achieved were 22 and 22 respectively






ST3 palliative medicine recruitment – shortlist score distribution 2021 (round 1)

The graph below shows the distribution of shortlist scores awarded to all immunology applications submitted in 2021 ST3 recruitment round 1.

The number of applications submitted was 57; shortlist scores ranged from 0-40 (min and max possible were 0-56).

Mean and median averages achieved were 22 (21.73) and 21 respectively






ST3 palliative medicine recruitment – shortlist score distribution 2020 (round 2)

The graph below shows the distribution of shortlist scores (verified self-assessment scores) awarded to all palliative medicine applications which reached the evidence verification stage in 2020 ST3 recruitment round 2.

The number of applications proceeding to shortlisting was 37; shortlist scores ranged from 18-60 (min and max possible were 0-68).

Mean and median averages achieved were **34** (33.62) and **32** respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2019 (round 2)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2019 ST3 recruitment round 2.

The number of applications proceeding to shortlisting was 34; shortlist scores ranged from 17-56 (min and max possible were 0-80).

Mean and median averages achieved were **38** (38.15) and **38** respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2019 (round 1)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2019 ST3 recruitment round 1.

The number of applications proceeding to shortlisting was 87; shortlist scores ranged from 9-59 (min and max possible were 0-80).

Mean and median averages achieved were **39** (38.59) and **40** respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2018 (round 1)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2018 ST3 recruitment round 1.

The number of applications submitted was 98; shortlist scores ranged from 11-67 (min and max possible were 0-80).

Mean and median averages achieved were 41 (41.32) and 42 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2018 (round 2)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2018 ST3 recruitment round 2.

The number of applications submitted was 26; shortlist scores ranged from 27-59 (min and max possible were 0-80).

Mean and median averages achieved were 43 (43) and 43.5 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2017 (round 1)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2017 ST3 recruitment round 1.

The number of applications submitted was **99**; shortlist scores ranged from **9-65** (min and max possible were 0-78).

Mean and median averages achieved were 43 (43.06) and 46 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2017 (round 2)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2017 ST3 recruitment round 2.

The number of applications submitted was **30**; shortlist scores ranged from **15-59** (min and max possible were 0-80).

Mean and median averages achieved were 41 (40.73) and 41 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2016 (round 1)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2016 ST3 recruitment round 1.

The number of applications submitted was 126; shortlist scores ranged from 10-73 (min and max possible were 0-78).

Mean and median averages achieved were 42 (42.16) and 42 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2016 (round 2)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2016 ST3 Recruitment round 2.

The number of applications submitted was 16; shortlist scores ranged from 35-55 (min and max possible were 0-78).

Mean and median averages achieved were 43 (43.18) and 42.5 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2015 (round 1)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2015 ST3 recruitment round 1.

The number of applications submitted was 124; shortlist scores ranged from 13-70 (min and max possible were 0-78).

Mean and median averages achieved were 42 (41.62) and 42 (41.5) respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2015 (round 2)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2015 ST3 recruitment round 2.

The number of applications submitted was 35; shortlist scores ranged from 11-68 (min and max possible were 0-78).

Mean and median averages achieved were 41 (40.86) and 39 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2014 (round 1)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2014 ST3 recruitment round 1.

The number of applications submitted was 120; SL scores ranged from 14-70 (min and max possible were 0-78).

Mean and median averages achieved were 42 (41.74) and 42 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2014 (round 2)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2014 ST3 recruitment round 2.

The number of applications submitted was 23; shortlist scores ranged from 22-69 (min and max possible were 0-78).

Mean and median averages achieved were 46 (46.22) and 46 respectively.






ST3 palliative medicine recruitment – shortlist score distribution 2013 (round 1)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2013 ST3 recruitment round 1.

The number of applications submitted was 95; SL scores ranged from 12-64 (min and max possible were 0-78).

Mean and median averages achieved were **36** (36.29) and **36** respectively.





ST3 palliative medicine recruitment – shortlist score distribution 2013 (round 2)

The graph below shows the distribution of shortlist scores awarded to all palliative medicine applications submitted in 2013 ST3 recruitment round 2.

The number of applications submitted was 33; SL scores ranged from 24-62 (min and max possible were 0-78).

Mean and median averages achieved were 39 (38.91) and 39 respectively.

